

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7414	("200"/\$.ccls. and (spring same (push in) same (pull out)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 13:22
L2	770	("200"/\$.ccls. and (spring same (push in) same (pull out) same (rotary rotational)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 13:22
L3	271	("200"/\$.ccls. and (spring same (push in) same (pull out) same (main central neutral middle) same (rotary rotational)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 13:23
L4	2839	("200"/\$.ccls. and (spring-loaded (spring adj loaded)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 13:50
L5	94	4 and (pull same push same spring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 13:50
L6	40	4 and (spring-loaded (spring adj loaded)).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 13:51
L7	15	4 and (push-pull same spring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:02
L8	10	("2800806" "3581036" "4255633" "4282414" "4902865" "5408061" "5605225" "5684670").PN. OR ("6268577").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/27 14:04

L9	25	("1679846" "1807398" "1833948" "1910645" "2441888" "2748204" "3119915" "3258548" "3488464" "3678235" "3703621" "3800112").PN. OR ("4032731").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/27 14:13
L10	543	200/16C.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/27 14:15
L12	21	307/10.8.ccls. and @pd>="20061130"	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/27 14:39
L13	8	200/4.ccls. and @pd>="20070822"	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/27 14:42
L14	25	200/5R.ccls. and @pd>="20070822"	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/27 14:42
L15	3	200/14.ccls. and @pd>="20070822"	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/27 14:44
L16	0	200/14.ccls. and (push same pull) and @pd>="20070822"	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/27 14:45
L17	0	200/4,5R,6A,14,17R,18.ccls. and (push-push and pull-pull and rotary) and @pd>="20070822"	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/27 14:45
L18	18	200/4,5R,6A,14,17R,18.ccls. and ((push same pulls ame rotary) or (axial same rotary)) and @pd>="20070822"	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/27 14:46
L19	0	(vehicle same (light headlight headlamp) same push-push same pull-pull) and @pd>="20070822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:47
L20	0	(vehicle and ((light headlight headlamp) same push-push same pull-pull)) and @pd>="20070822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:48
L21	0	(vehicle and ((light headlight headlamp) and push-push and pull-pull)) and @pd>="20070822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:49
L22	0	(vehicle same ((light headlight headlamp) and push-push and pull-pull)) and @pd>="20070822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:01

L23	0	(vehicle same (light headlight headlamp) same switch same rotary same push-push) and @pd>="20070822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:01
L24	0	(vehicle same (light headlight headlamp) same switch same rotary same pull-pull) and @pd>="20070822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:02
L25	0	(vehicle same (light headlight headlamp) same switch same pull-pull) and @pd>="20070822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:04
L26	0	(vehicle same (light headlight headlamp) same rotary same pull-pull) and @pd>="20070822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:04
L27	0	pull-pull adj switch and @pd>="20070822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:05
L28	0	switch same push-push same pull-pull and @pd>="20070822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:05
L29	0	switch and push-push and pull-pull and @pd>="20070822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:06
L31	2	(switch and (front adj fog adj lamp) and (rear adj fog adj lamp)) and @pd>="20070822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:06
L32	1	(switch same (front adj fog adj lamp) same (rear adj fog adj lamp)) and @pd>="20070822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:07

L33	13	200/6A.ccls. and @pd>="20070822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:08
L34	11	200/17R.ccls. and @pd>="20070822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:09
L35	8	200/18.ccls. and @pd>="20070822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:09
L36	1	(pull adj switch) same (automobile automotive vehicle) and @pd>="20070822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:10
L37	2	200/179.ccls. and @pd>="20070822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:11
L38	1	200/519.ccls. and @pd>="20070822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:12
L39	3	200/523.ccls. and @pd>="20070822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:13
L40	1	200/524.ccls. and @pd>="20070822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:13
L41	0	200/525.ccls. and @pd>="20070822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:13

L42	1	200/526.ccls. and @pd>="20070822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:14
L43	1	200/527.ccls. and @pd>="20070822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:14
L44	0	200/528.ccls. and @pd>="20070822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:14
L45	0	(switch same high\$beam same low\$beam same (headlight head \$light) same spring) and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:15
L46	0	(switch with high with low) same (headlight head\$light) same spring and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:16
L47	5	(head\$light head\$lamp) same auxiliary same switch same vehicle and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:18
L48	0	(head\$light head\$lamp) same auxiliary same switch same vehicle same spring and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:21
L49	3	(head\$light head\$lamp) same (control control\$4) same vehicle same spring and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:22
L50	40	(head\$light head\$lamp) same (control control\$4) same vehicle same (brightness or (low\$beam and high\$beam)) and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:23

L51	6	(head\$light head\$lamp) same (control control\$4) same vehicle same (brightness or (low\$beam and high\$beam)) and spring and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:24
L52	0	(push pull push\$pull) adj headlight adj (control switch) and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:25
L53	1	(rotary with headlight with control) and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:25
L54	3	(rotary adj light adj switch) and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:26
L55	0	(switch control) same (headlamp adj interrupt) same (marker adj interrupt) and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:26
L56	0	(headlamp adj interrupt) adj (marker adj interrupt) and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:26
L57	1	(headlight head\$light headlamp head\$lamp) same (auxiliary adj beam) and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:28
L58	0	(headlight head\$light headlamp head\$lamp) same (focus adj beam) and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:28
L59	24	315/82.ccls. and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:28

L60	1	315/83.ccls. and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:29
L61	3	200/179.ccls. and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:29
L62	9	200/11R.ccls. and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:29
L63	4	200/11R.ccls. and vehicle and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:30
L64	0	200/8R.ccls. and vehicle and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:30
L65	0	200/8R.ccls. and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:30
L66	0	200/9.ccls. and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:31
L68	3	200/61.27.ccls. and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:32
L69	34	307/9.1.ccls. and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:32

L70	24	315/82.ccls. and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:33
L71	1	315/83.ccls. and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:33
L72	8	315/77.ccls. and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:34
L74	4	(rotary adj switch) same headlight and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:34
L75	11	rotary same headlight and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:35
L76	2	rotary same headlight same axial and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:35
L77	0	rotary same headlight same high \$beam same low\$beam and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:36
L78	0	switch same rotary same axial same ((headlamp headlight) adj interrupt) same (marker adj interrupt) and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:36
L79	0	switch same rotary same axial and ((headlamp headlight) adj interrupt) same (marker adj interrupt) and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:37

L80	0	switch same rotary same high \$beam same low\$beam same headlight and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:37
L81	2	switch same high\$beam same low \$beam same head\$light and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:38
L82	0	(low\$level adj switch) same headlight and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:38
L83	15	(low\$level adj switch) and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:46
L84	1	(low\$level adj switch) same vehicle and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:55
L85	0	(low\$level adj switch) same automobile and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:56
L86	308	(push with pull with (button switch)) and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:56
L87	0	(push with pull with (button switch)) with headlight and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:57
L88	21	(push with pull with (button switch)) with spring and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:57

L89	0	(push-pull adj switch) same ((neutral normal) adj position) and @pd>="20070727"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:58
L91	6	(vehicle same switch same (parking adj light) same (headlight headlamp (head adj light) (head adj lamp))) and @pd>="20070725"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:59
L92	1	(vehicle same switch same (parking adj light) same (headlight headlamp (head adj light) (head adj lamp))) same (auxiliary adj (light lamp)) and @pd>="20070725"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:00
L93	0	vehicle same (light adj switch) same ((illuminated adj symbol) or (symbol near2 illuminated)) and @pd>="20070725"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:00
L94	3	vehicle same (switch button) same ((illuminated adj symbol) or (symbol near2 illuminated)) and @pd>="20070725"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:01
L95	4	vehicle same (fog adj light) same switch and @pd>="20070725"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:02
L96	2	vehicle same (fog adj light) same (rotary near2 switch) and @pd>="20070725"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:03
L97	0	(vehicle same switch same ((headlamp headlight (head adj lamp) (head adj light)) adj interrupt) same (marker adj interrupt)) and @pd>="20070725"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:13
L99	0	(vehicle and switch and ((headlamp headlight (head adj lamp) (head adj light)) adj interrupt) same (marker adj interrupt)) and @pd>="20070725"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:14

L100	0	(headlamp adj interrupt) and @pd>="20070725"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:14
L101	0	(rotary adj switch) same axial same push same pull and @pd>="20070725"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:15
L102	641	(push-pull adj switch) or (push-pull adj rotary adj switch) or (push adj pull adj switch) or (push adj pull adj rotary adj switch) and @pd>="20070725"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:15
L103	641	(push-pull adj switch) or (push-pull adj rotary adj switch) or (push adj pull adj switch) or (push adj pull adj rotary adj switch) and (automobile automotive vehicle) and @pd>="20070725"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:16
L104	641	(push-pull adj switch) or (push-pull adj rotary adj switch) or (push adj pull adj switch) or (push adj pull adj rotary adj switch) and (automobile automotive vehicle) and ((first adj pull) and (second adj pull) and (first adj push) and (second adj push)) and @pd>="20070725"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:16

2/27/2008 4:17:26 PM

C:\Documents and Settings\hkaplan\My Documents\EAST\Workspaces\10709145.wsp